

home mobility

design

comfort

HOME SOLUTIONS




No matter what your needs are, KLEEMANN HOME SOLUTIONS is the top choice for reliability, flexibility and design.

KLEEMANN offers a wide range of products that goes beyond your expectations for mobility. Breakthrough design and unique customised solutions lift your experience and upgrade the interior and exterior of your most precious space. At KLEEMANN, we value your needs and we are constantly working to improve our products just for you.









# KLEEMANN HOME SOLUTIONS

---

## INDEX

---

<b>Maison</b> LIFTS	04
• <b>Maison</b> LIFT Plus	06
• <b>Maison</b> LIFT Basic	08
• <b>Maison</b> T Plus	10
• <b>Maison</b> T Basic	12
• <b>Maison</b> One	14
Cabin Guide	16
Door Guide	22
Operating Panel & Button Guide	24
Design Your Lift	25
Aluminum Shaft Structures	26

---

<b>free</b> STAIR systems	28
• <b>free</b> STAIR with seat	30
• <b>free</b> STAIR for wheelchair platform	34
• <b>free</b> STAIR Hydraulic Vertical Lifting System	36
Colour & finishing options	38

---

<b>KLEEMANN</b> Worldwide	40
---------------------------	----


---



design

flexibility

reliability



KLEEMANN **Maison**LIFTS are designed for ease of use, spatial efficiency and reliability. Guaranteed performance and a fine selection of design and finishing options ensure that you can shape the product that best fits your needs.

**Maison**LIFT  
Plus

**Maison**LIFT  
Basic

**Maison T**  
Plus

**Maison T**  
Basic

**Maison One**

04  
05

KLEEMANN HOME SOLUTIONS

KLEEMANN **Maison**LIFTS

## MaisonLIFT Plus



Unique tailor-made design options to upgrade your space.

**MaisonLIFT Plus** provides convenience with a more sophisticated approach. This indirect acting hydraulic lift is suitable for vertical transportation inside or outside a multi-storey residence.

**MaisonLIFT Plus** can be installed in multiple types of residential buildings with shaft pit and headroom limitations. It is available with or without shaft and with aluminium shaft construction.

# Premium design



## Advantages

- Ideal solution for low pit and headroom shafts
- No need for concrete shaft
- No need for extra space for machine room
- Ease of installation and maintenance

## Main features

- Maximum safety and comfort
- High aesthetics customised to your building
- Unique designs by the world famous designer Andreas Zapatinas
- EC Type Examination Certificate according to Lift Directives 95/16/EC and 2014/33/EU

### MaisonLIFT Plus Technical Specifications

Rated Load (Kg)	180 - 630	
Max Travel (m)	19	
Max Number of Stops	8	
Min Pit Depth (mm)	200	
Min Headroom (mm)	2450 semi-automatic door	2600 automatic door
Max Speed (m/s)	0,52	
Power Supply	Single phase or 3-phase	
Complies with	Lift Directives 95/16/EC and 2014/33/EU	
Accessibility	 	





to lift your senses

06  
07

KLEEMANN HOME SOLUTIONS

## MaisonLIFT Basic

Ideal for comfort and ease. **MaisonLIFT Basic**, designed and manufactured according to Machinery Directive 2006/42/EC, meets any need for transportation and mobility. A value for money solution that provides access inside or outside a multi-storey residence and guarantees safety and style. With only 80mm minimum pit depth required, this indirect acting hydraulic solution is fully applicable to buildings without concrete shaft and with shaft pit and headroom limitations.



# Maximum residential value



## Advantages

- Ideal solution for low pit and headroom shafts
- Cabin surface max: 1,65m<sup>2</sup>
- Available with aluminium shaft structure
- Ease of installation and maintenance

## Main Features

- Best value for money
- Optimum use of space within the shaft
- Fine selection of design options
- EC Type Examination Certificate according to Machinery Directive 2006/42/EC

### MaisonLIFT Basic Technical Specifications

Rated Load (Kg)	200 - 450
Max Travel (m)	15
Max Number of Stops	4
Min Pit Depth (mm)	80
Min Headroom (mm)	2300
Max Speed (m/s)	0,15
Power Supply	Single phase or 3-phase
Complies with	Machinery Directive 2006/42/EC
Accessibility	 



with minimum investment

08  
09

KLEEMANN HOME SOLUTIONS



## Maison T Plus

**Maison T Plus** is the traction lift solution that is according to Lift Directives 95/16/EC and 2014/33/EU. Installation can be customised to any architectural need and design, even for special and challenging projects. It is elegant and above all truly convenient allowing the perfect fitting in any building, existing or new. **Maison T Plus** guarantees outstanding ride quality and a fine selection of design options and finishes to ensure that the product meets every user's needs.



# Unique customised solutions

### Advantages

- Ideal solution for low pit and headroom shafts
- Very low energy consumption
- Available with aluminium or steel shaft construction
- No need for extra space for machine room
- Ease of installation and maintenance

### Main features

- Noise and vibration elimination
- Rated output consumption 1,1 Kw
- Unique designs by the world famous designer Andreas Zapatinas
- EC Type Examination Certificate according to Lift Directives 95/16/EC and 2014/33/EU





10  
11

KLEEMANN HOME SOLUTIONS

to meet your needs

#### Maison T Plus Technical Specifications

Rated Load (Kg)	320 - 450
Max Travel (m)	12
Max Number of Stops	6
Min Pit Depth (mm)	350*
Min Headroom (mm)	2600
Max Speed (m/s)	0,40
Power Supply	Single-phase 50/60Hz or 3-phase 50/60Hz
Motor Supply	1,1 Kw
Complies with	Lift Directives 95/16/EC and 2014/33/EU
Accessibility	 

\*250 under conditions



## Maison T Basic

A gratifying experience for the user. **Maison T Basic** is the traction lift solution of **MaisonLIFTS**. Featuring spatial efficiency and reliability, it offers a pleasant ride, isolating noise and eliminating vibrations during movement. It is one of the most flexible products of the range, easily and quickly installed, with minimum space requirements since there is no need of shaft. With a wide variety of cabin interior materials designed to meet your aesthetic needs, **Maison T Basic** offers a unique experience of vertical transportation.



# A wise investment

### Advantages

- Premium quality gearless motor and state of the art inverter
- Very low energy consumption
- Narrow controller suitable for installation in door frame
- Outstanding ride quality
- Ease of installation and maintenance

### Main features

- Noise and vibration elimination
- Rated output consumption 1,1 Kw
- Unique designs by the world famous designer Andreas Zapatinas
- EC Type Examination Certificate according to Machinery Directive 2006/42/EC





12  
13

KLEEMANN HOME SOLUTIONS

on premium quality

#### Maison T Basic Technical Specifications

Rated Load (Kg)	320 - 450
Max Travel (m)	12
Max Number of Stops	6
Min Pit Depth (mm)	200
Min Headroom (mm)	2600
Max Speed (m/s)	0,15
Power Supply	Single-phase 50/60Hz or 3-phase 50/60Hz
Motor Supply	1,1 Kw
Complies with	Machinery Directive 2006/42/EC
Accessibility	 



## Maison One

**Maison One** is the most cost-effective homelift included in MaisonLIFT series; a reliable solution suitable for all. It is a hydraulic lifting system ideal for private residences up to 3 stops. Serving minimum space requirements, **Maison One** features best quality, easy and quick installation, also offering the option of aluminum shaft where needed. Overall, Maison One is a product that can solve everyone's needs for vertical transportation ensuring a very low price.



# The most uplifting solution

### Maison One Technical Specifications

Rated Load (Kg)	up to 385
Max Travel (m)	7
Max Number of Stops	3
Min Pit Depth (mm)	120
Min Headroom (mm)	2300
Max Speed (m/s)	0,15
Power Supply	Single-phase 50/60Hz
Motor Supply	1,5 Kw
Complies with	Machinery Directive 2006/42/EC
Accessibility	 

### Advantages

- Outstanding price
- Very low energy consumption
- Minimum space requirements
- Compact design
- Ease of installation and maintenance

### Main features

- All systems included
- Rated output consumption 1,5 Kw
- Single-phase motor
- EC Type Examination Certificate according to Machinery Directive 2006/42/EC





at the lowest price!

14  
15

KLEEMANN HOME SOLUTIONS

### Design Options

- Landing Door: M310 (or any other semi-automatic door\*)
- Ceiling: Maison One Ceiling painted in any RAL colour
- Walls: Skinplate PPS13 (or any other skinplate)
- Floor: Elastic Anthracite 6727 (or any other rubber floor)
- Car Operating Panel: Maison One COP painted in any RAL colour
- Landing Operating Panel: AKL003
- Mirror: Optional

\* M310 is the standard type. Other types of semi-automatic doors have an extra cost.

# KLEEMANN **Maison**LIFTS

Model elements may differ to match your requirements.

For the latest available materials, colours and finishings,  
please visit [www.designyourlift.com](http://www.designyourlift.com)

CLASSIC ATHENA A310



CEILING	Type: O55 Material: Stainless Steel Mirror and plexiglass
WALLS	Laminate HD 2416 PL
CORNERS-SKIRTINGS	Stainless Steel Satin
FLOOR	Laminate 8630 Aspen Oak
HANDRAIL	K5 Aluminium
MIRROR	Half height / Full width
CAR OPERATING PANEL	FTC Black

CLASSIC ATHENA A530



CEILING	O3 with milky plexiglass Material: Stainless Steel Mirror
WALLS	m. 1785 split panels
CORNERS-SHADOW GAPS-SKIRTINGS	Stainless Steel Mirror
FLOOR	Ceramic Cream
HANDRAIL	K7 Stainless Steel Mirror
MIRROR	Full height / Full width
CAR OPERATING PANEL	FPY Stainless Steel Mirror with Blue Line





## Cabin Guide

CLASSIC ATHENA A710



SPECIAL  
DESIGN

16  
17

KLEMMANN HOME SOLUTIONS

### CEILING

Type: Special Ceiling A710  
(with two Sconces A710)  
Material: Stainless Steel  
Bronze Mirror

### FLOOR

Laminate 8630

### HANDRAIL

102 Stainless Steel Bronze Mirror

### MIRROR

Rustic, Full Height / Half Width

### WALLS

Artificial Leather Saronno S-7005

### CAR OPERATING PANEL

AKC BES Stainless Steel Bronze  
Satin with Blue Line

### CORNERS-SKIRTINGS

Inward Curves, Skirtings  
Stainless Steel Bronze Satin

# KLEEMANN **Maison**LIFTS

MODERN LIFE L320



## CEILING

Type: O3  
Material: Stainless Steel Mirror

## HANDRAIL

K2 Stainless Steel Mirror

## WALLS

Skinplate PPS31

## MIRROR

Full height / Half width

## SKIRTINGS

Stainless Steel Satin

## CAR OPERATING PANEL

FTC Black

## FLOOR

Artificial Granite Regal White



## Cabin Guide

MODERN LIFE L530



### CEILING

Type: 014  
Material: Stainless Steel Mirror

### WALLS

Combination of Stainless Steel Mirror (Back) and Satin (Sides)

### CORNERS-SHADOW GAPS-SKIRTINGS

Stainless Steel Mirror

### FLOOR

Laminate 37372

### HANDRAIL

K7 Stainless Steel Mirror

### MIRROR

Half height / Full width

### CAR OPERATING PANEL

AKC BES Stainless Steel Mirror with Blue Line

MODERN LIFE L720



### CEILING

Type: Special Ceiling L720  
(with chandelier L720 and 2 sconces L720)  
Material: Stainless Steel Mirror

### WALLS

Laminate Panels DU 2228

### CORNERS-SKIRTINGS

Stainless Steel Mirror

### FLOOR

Artificial Granite Regal White

### HANDRAIL

105 Stainless Steel Satin

### MIRROR

Full height / Full width

### CAR OPERATING PANEL

AKC BES Stainless Steel Satin with Blue Line

# KLEEMANN **Maison**LIFTS

FUTURE TREND T710

Andreas Zapatinas | design



## CEILING

Type: Special Ceiling T710  
Light Type: Fluorescent tubes

## WALLS

Artificial leather sheet

## CORNERS

Stainless Steel Mirror

## FLOOR

Laminate 37372

## HANDRAIL

K2 Stainless Steel Mirror

## MIRROR

Full height / Full width

## CAR OPERATING PANEL

FPY 1000 Stainless Steel  
with Blue Line



# Cabin Guide

FUTURE TREND T510

Andreas Zapatinas I design



FUTURE TREND T110

Andreas Zapatinas I design



## CEILING

Type: Special Ceiling T510  
(Steel Sheet with milky plexiglass)

## WALLS

Steel Sheet RAL 2004

## CORNERS-SHADOW GAPS-DOOR POSTS

Stainless Steel Mirror  
(Door Posts min 130mm)

## FLOOR

Special Safety Glass with  
Stainless Steel Curves RAL 2004

## HANDRAIL

K2 Stainless Steel Mirror

## MIRROR

Full height / Full width

## CAR OPERATING PANEL

FPY Stainless Steel Satin with Blue Line

## CEILING

Type: Special Ceiling T110

## WALLS

Special Melamine Panels 147

## CORNERS

Stainless Steel Satin

## FLOOR

Laminate 8630 Aspen Oak

## HANDRAIL

K2 Stainless Steel Mirror

## MIRROR

Full height / Full width

## CAR OPERATING PANEL

FTC Black



# KLEEMANN **Maison**LIFTS

---

Model elements may differ to match your requirements.

For the latest available materials, colours and finishings,  
please visit [www.designyourlift.com](http://www.designyourlift.com)

**MODERN** Automatic Full Glass

**CLASSIC** C710

**CLASSIC** C310



Stainless Steel



Wooden



DL92 Skinplate

A U T O M A T I C

---

S E M I A U T O M A T I C

---



# Door Guide

Andreas Zapatinas | design

**CLASSIC** C520

**MODERN** M310

**MODERN** FD320



7032 Colour



5017 Colour



Stainless Steel

22  
23

KLEEMANN HOME SOLUTIONS

F O L D I N G

# KLEEMANN **Maison**LIFTS **Operating panel & button Guide**

## All Types\*



FTC (Black)



FTL (Black)



FTB

\*except for Maison One

## Maison T Plus & Maison T Basic



AKC BES U-Control



AKL A101 U-Control



MT42

## MaisonLIFT Plus & MaisonLIFT Basic



SM BA Blue Line



FTL (Stainless Steel)



KLH42R



KLH42Q



FPY-1000 Blue Line



## Design Your Lift

Design your lift in 3 easy steps:

- 1 Enter **[www.designyourlift.com](http://www.designyourlift.com)**
- 2 Select materials & accessories
- 3 Print or e-mail your customised cabin

24  
25

KLEEMANN HOME SOLUTIONS

**[www.designyourlift.com](http://www.designyourlift.com)**

Create the look and feel of your elevator just the way you like it,  
by exploiting the KLEEMANN application "Design your Lift".

Combine **colours, materials, lighting** and **fixtures** from our **ready-made design lines** with **numerous styles** for walls, ceilings and floors from **luxurious** to **minimal**, from **basic** to **sophisticated**, from **warm** and **cozy** to **durable** and **firm**. Free your **imagination** and stand for **mobility**.

# KLEEMANN **Maison**LIFTS

---



KLEEMANN offers aluminium constructions, self-supported or fitted onto the wall, for lift installations where concrete shaft is not available. They can be easily installed indoor or outdoor and they can support all products

included in MaisonLIFT series. KLEEMANN **aluminium shafts** are designed by expert engineers and can be fully customised to your architectural needs, with a variety of aesthetic choices for both structure and shaft cladding.

## Advantages

- Fully customised to your architectural needs
- Highly aesthetic result
- Safe and quick installation
- KLEEMANN quality and guarantee







# Aluminium Shaft Structures



## Main features

- Maximum rated load up to 630Kg
- Indoor or outdoor installation
- Minimum ex-works delivery period of 5 weeks
- Options for shaft cladding: skinplate, stainless steel sheet or glass

STANDARD DESIGN FOR ALUMINIUM SHAFT*	
Shaft Cladding	Shaft Structure
	
Skinplate A67SMA	9016 RAL
	
Skinplate F12PPS	9006 RAL

*\* Shaft cladding and structure are available in any Skinplate or RAL Colour with an additional cost and extended delivery period*

26  
27

KLEEMANN HOME SOLUTIONS







access

comfort

mobility

confidence





KLEEMANN **freeSTAIR** system has been developed to upgrade your mobility experience. Move with unlimited freedom, feel confident and benefit from the state of the art technology, simple operation and high safety standards. A flexible system that can be entirely customised to fit your specific needs.

28  
29

KLEEMANN HOME SOLUTIONS

**freeSTAIR**  
with seat

**freeSTAIR**  
for wheelchair

**freeSTAIR**  
Hydraulic Vertical  
Lifting System

KLEEMANN **freeSTAIR**

## **free**STAIR Stairlift System with seat



The **free**STAIR system with seat has been specially designed to help users of all ages who find difficulty in climbing stairs. The system can be fitted to any staircase, either indoor or outdoor, as it is custom-made for each individual application. **free**STAIR can be installed in houses with both straight or

curved staircases. KLEEMANN **free**STAIR is available in a number of different types, one of which will certainly meet the needs of any user.

### Main features

- Indoor or outdoor installation
- Designed for maximum safety and comfort
- Remote control with "Hold to Run" buttons
- Variety of seat and metal structure colours
- EC Declaration of conformity



# mobility, confidence,

### Advantages

- Installed either on right or left side of the staircases
- Minimum installation space required
- Multiple mounted solutions for the guide rail
- Seat folds neatly away to save space
- Minimal maintenance requirements





30  
31

KLEEMANN HOME SOLUTIONS

comfort

#### Technical Specifications

Staircase type	Straight/Circular	Only Straight
Rated Load (Kg)	130	127
Inclination (degrees)	0-70	0-45
Max Travel	4 stops	2 stops
Max Speed (m/s)	0,10	0,10
Power Supply	Rechargeable battery	Rechargeable battery
Required staircase width	90cm	90cm
Complies with	Machinery Directive 2006/42/EC	Machinery Directive 2006/42/EC



**free**STAIR  
Stairlift System  
with seat

## A130

### Core mobility

Ideal choice for a cost effective solution -the most economic **free**STAIR model- features a standard finishing colour palette and quick delivery times.



#### Main features

- Indoor or outdoor installation
- Only for straight staircases with standard inclination
- Max rail length: 10m for indoor installation and 7m for outdoor
- Standard colour and design

#### Advantages

- Easy to install
- Minimum maintenance requirements
- On-board diagnostic control panel which alerts you for any potential problems before they arise
- 4-week ex-works



32  
33

KLEMMANN - HOME SOLUTIONS

## **free**STAIR Stairlift System for wheelchair



The **free**STAIR for wheelchair has been designed to enable wheelchair users to move with autonomy, safety and comfort offering access to any building where the installation or use of a conventional lift is not possible.

The system can be installed in both indoor and outdoor spaces, mounted either on the wall or on the floor. The ideal solution for public and private spaces alike.

# reliability, accessibility,

### Main features

- Indoor or outdoor installation
- Variety of metal structure colours
- Seat adjustable to platform (optional)
- Remote control with "Hold to run" buttons
- EC Type Examination Certificate







Technical Specifications

Model	T80	T100
Staircase type	Straight/Circular	Straight
Rated Load (Kg)	300	300
Inclination (degrees)	0-60	15-45
Max Travel	4 stops	30m
Max Speed (m/s)	0,10	0,10
Power Supply	Rechargeable battery	Rechargeable battery
Complies with	Machinery Directive 2006/42/EC	

Advantages

- Installed either on right or left side of the staircases
- Multiple mounted solutions for the guide rail
- Wide range of platform dimensions
- Robust construction
- Minimum installation space and maintenance requirements

## **free**STAIR Hydraulic Vertical Lifting System



The **free**STAIR Hydraulic Vertical Lifting System has been designed for users with limited mobility, enabling access to buildings where installation or operation of an elevator is not possible.

It is the most cost-effective solution for vertical transportation of users for travel up to 7m. It requires minimum space which makes it an ideal solution for both internal and external applications.



safety,

### **Advantages**

- Minimum installation space requirements
- Fast and easy fitting of the system
- Minimum maintenance requirements



economy, strength

**Technical Specifications**

Rated Load (Kg)	300
Min Pit Depth (mm)	120
Max Travel (m)	7
Max Speed (m/s)	0,10
Power Supply	Single phase 50 Hz
Motor Power (Kw)	1,5
Complies with	Machinery Directive 2006/42/EC

**Main features**

- Indoor or outdoor installation
- Variety of colours
- Suitable for travel up to 7m
- EC Type Examination Certificate

# KLEEMANN **free**STAIR



## METAL STRUCTURE OPTIONS (RAL COLOURS)



## CHAIR UPHOLSTERY - STANDARD COLOURS



## CHAIR UPHOLSTERY - SPECIAL COLOURS







# Colour & finishing Guide

## freestAIR Stairlift System for wheelchair

### T80 METAL STRUCTURE OPTIONS (RAL COLOURS)

7032	7047	8022	9002
9006	9007		

### T100 METAL STRUCTURE OPTIONS (RAL COLOURS)


8022	7047	9002	9007

## freestAIR Hydraulic Vertical Lifting System


### METAL STRUCTURE OPTIONS (RAL COLOURS)

9002	1013	7032	1015
1001	1011	8011	8022

Please note that images and colour representation may differ slightly from reality.  
Materials are subject to change without prior notice.



Last update 02/2016



**[www.kleemannlifts.com](http://www.kleemannlifts.com)**

While every effort has been made to ensure information accuracy,  
KLEEMANN bears no responsibility for typographic errors or omissions.

Copyright © KLEEMANN 2016

